

CLAIMS

1. An information recording apparatus which irradiates a laser light onto a recording medium and forms a recording mark
5 corresponding to a recording signal, comprising:

a light source which emits the laser light;

a signal generating unit which generates a recording pulse signal for driving the light source based on the recording signal;
and

10 a test writing unit which drives the light source based on the recording pulse signal and executes test writing,

wherein the recording pulse signal includes a mark period for forming the recording mark and a space period for forming no recording mark, and

15 wherein the test writing unit executes the test writing with making a recording power of a long mark constant and varying a recording power of a short mark.

2. The information recording apparatus according to claim
20 1, wherein the recording power of the long mark is a recording power ensuring reproduction compatibility.

3. The information recording apparatus according to claim
25 2, wherein the recording power of the long mark is a recording power making a modulation degree within a predetermined range.

4. The information recording apparatus according to claim
1, wherein the recording power of the long mark is a recording power making waveform distortion equal to or smaller than a
30 predetermined value.

5. The information recording apparatus according to claim
1, wherein the recording power of the short mark is a recording power making asymmetry within a range of -0.05 to 0.15.

6. The information recording apparatus according to claim 1, wherein the recording power of the short mark is a recording power making a β value of 0.

5

7. The information recording apparatus according to claim 1, wherein the test writing unit reads a recording mark formed by the test writing, and repeats the test writing until asymmetry and/or a β value obtained based on the read recording mark satisfies a predetermined condition.

10

8. The information recording apparatus according to claim 1, wherein the short mark is a shortest mark and the long mark is a mark other than the short mark.

15

9. The information recording apparatus according to claim 1, wherein the short mark is a shortest mark and a second shortest mark, and the long mark is a mark other than the short mark.

20

10. The information recording apparatus according to claim 1, wherein the short mark is a mark which does not have a level of largest magnitude, and the long mark is a mark which has a level of largest magnitude.

25

11. An information recording method which irradiates a laser light onto a recording medium and forms a recording mark corresponding to a recording signal, comprising:

a signal generation process which generates a recording pulse signal for driving a light source based on the recording signal; and

30

a test writing process which drives the light source based on the recording pulse signal and executes test writing,

wherein the recording pulse signal includes a mark period for forming the recording mark and a space period for forming no

recording mark, and

wherein the test writing process executes test writing with making a recording power of a long mark constant and varying a recording power of a short mark.

5

12. An information recording program executed in an information recording apparatus which comprises a light source and irradiates a laser light onto a recording medium to form a recording mark corresponding to a recording signal, and the program making the information recording apparatus execute:

10 a signal generating process which generates a recording pulse signal for driving the light source based on the recording signal; and

15 a test writing process which drives the light source based on the recording pulse signal and executes test writing,

wherein the recording pulse signal includes a mark period for forming the recording mark and a space period for forming no recording mark, and

20 wherein the test writing process executes test writing with making a recording power of a long mark constant and varying a recording power of a short mark.